


**SPORTS FLOORING**

Jogging-Track Systeme | Jogging-Track Systems

# CONIPUR JIP comfort+



## SYSTEM

### **Sechslagiges, wasserundurchlässiges Jogging-Belagssystem.**

Auf eine ungebundene Tragschicht wie Asphalt oder Beton\* wird ein Haftvermittler aufgebracht. Danach folgt je eine elastische Schicht aus recyceltem Gummigranulat mit Bindemittel sowie aus EPDM-Granulat mit Bindemittel. Diese sorgen für einen deutlich höheren Komfort. Der Porenschluss und der Oberbelag bestehen aus einer Mischung von EPDM-Mehl, Quarzsand und Beschichtungsmasse, je zweimal appliziert. Zweimalige Versiegelung vervollständigt den Aufbau.

\*Als Asphalt oder Betonersatz wird von CONICA **CONIPUR J base** angeboten – ein Gemisch aus Recyclinggranulat, Splitt und Bindemittel. Im Vergleich zum Asphalt oder Beton bietet **J base** mehr Komfort.

## ANWENDUNG

„Outdoor“ Jogging-Tracks in allen Klimazonen der Welt.

## SYSTEM

### **Six-layer impermeable jogging surfacing system.**

A primer is applied to an unbound asphalt or concrete\* sub-base. Subsequently follows an elastic layer of recycled rubber granules with binder and a layer of EPDM granules with binder for higher comfort. The pore sealer and the top layer consist of the mixture of EPDM powder, quartz sand and coating mixture to be applied twice and finalized with a double application of sealing lacquer.

\*CONICA offers an alternative to asphalt or concrete - **CONIPUR J base** – a mixture of recycled tyre rubber granules, crushed stones and binder. Comparing to asphalt and concrete **J base** offers higher comfort.

## APPLICATION

Outdoor jogging tracks in all climate zones around the world.

## SYSTEMSTÄRKE

Asphalersatz ca. 35 mm  
Oberbelag ca. 18 mm

## SYSTEM THICKNESS

Sub-base approx. 35 mm  
Top layer approx. 18 mm

## VORTEILE

- *Deutliches Plus an Komfort und Sicherheit*
- *Schnell und einfach zu verarbeiten*
- *Fugenlose Verlegung*
- *Für alle Klimazonen geeignet*
- *Geruchlos und UV-stabil*
- *Kosteneffizientes System*
- *Extrem langlebig*
- *J base als Beton- / Asphalersatz*
- *Leicht zu reinigen*
- *IAAF-zertifiziert*

## ADVANTAGES

- *Significantly higher level of comfort and safety*
- *Quick and easy to install*
- *Seamless installation*
- *Suitable for all climate zones around the world*
- *Odorless and UV resistant*
- *Cost-efficient*
- *Extremely durable*
- *J base as an alternative to concrete or asphalt*
- *Easy to clean*
- *IAAF-certified*



## KONTAKT | CONTACT

CONICA AG

Industriestrasse 26

CH-8207 Schaffhausen

Fon +41 (0)52 644 36 00

Fax +41 (0)52 644 36 99

info@conica.com

[www.conica.com](http://www.conica.com)