

CONIPUR *PRO CLAY* chippings

Clay Chippings made Purely of Clay Brick Fragments

Product description

CONIPUR *PRO CLAY* chippings is a natural product which is a by-product occurring during the production of bricks

Fields of application

CONIPUR *PRO CLAY* chippings are used together with our **CONIPUR *PRO CLAY*** binder when installing tennis courts.

Properties

As **CONIPUR *PRO CLAY*** chippings is a pure natural product, it can be used without hesitating even in drinking water protection areas. The chippings are characterized by good water permeability and a high resistance against abrasion.

Technical data

particle size	mm	approx. 2-8
density of application	kg/m ³	approx. 1'680
consumption	kg/m ²	approx. 38

Above figures are guide values and must not be used as a base for specifications!

Application

CONIPUR *PRO CLAY* chippings are mixed with our **CONIPUR *PRO CLAY*** binder using a compulsory mixer with automatic weighing device.

CONIPUR *PRO CLAY* chippings need to be dry.

Most important though is that the mixer used has the ability to mix approx. 500kg of **CONIPUR *PRO CLAY*** chippings and binder any 5 minutes.

Apply the mix, using a specially designed paver, onto the dry and well prepared unbound base course to form the resilient base layer.

The curing process depends on temperature and humidity.

Pack size

CONIPUR *PRO CLAY* chippings are delivered in bigbags of 1'000kg.

Colour

red

Storage

CONIPUR *PRO CLAY* chippings must be stored under dry conditions and sheltered from weather.

Safety precautions

CONIPUR *PRO CLAY* chippings are after application non-hazardous