

CONICA[®]

SWISS SURFACING SOLUTIONS



CONIFLOOR AND CONIPROOF

*Powerful solutions
for base, joints
and seals*

www.conica.com

CONICA PRODUCTS ARE USED FOR:

BASE, GROOVES AND JOINTS

CONIFLOOR 110 All-in-one clear resin for mortar

CONIFLOOR 118 Fast clear resin for mortar

CONIPROOF 190/1 Parking deck clear resin for mortar

SEALS AND BANDAGES

CONIPROOF 413 Sealing resin


CONIPROOF 414 Sealing resin

CONIPROOF Fleece Webbing


CONIPROOF 490/1 Membrane for OS 11



BASE CONNECTIONS IN CONNECTION AND DISCONNECTED



- 1 Primer
- 2 Epoxy resin mortar
- 3 Coating system



- 1 Primer
- 2 Edge insulation strips
- 3 Epoxy resin mortar
- 4 Coating system


STRUCTURE BASE CONNECTION CONNECTED PRODUCT NAME

1	Primer in the coating system	e.g. CONIFLOOR 110
2	Epoxy resin mortar	Mixing ratio 1:8-1:10 with quartz sand
3	Coating system	e.g. CONIFLOOR IES


STRUCTURE BASE CONNECTION DISCONNECTED PRODUCT NAME

1	Primer in the coating system	e.g. CONIFLOOR 110
2	Edge insulation strip with long-lasting elastic PU sealant	
3	Epoxy resin mortar	Mixing ratio 1:8-1:10 with quartz sand
4	Coating system	e.g. CONIFLOOR IES

GROOVES AND JOINTS



- 1 Primer
- 2 Epoxy resin mortar
- 3 Coating system



- 1 Primer
- 2 Epoxy resin mortar
- 3 Coating system


STRUCTURE GROOVE PRODUCT NAME

1	Primer in the coating system	e.g. CONIFLOOR 110
2	Epoxy resin mortar	Mixing ratio 1:8-1:10 with quartz sand
3	Coating system	e.g. CONIFLOOR IES SR


STRUCTURE JOINT PRODUCT NAME

1	Primer in the coating system	e.g. CONIFLOOR 110
2	Epoxy resin mortar	Mixing ratio 1:8-1:10 with quartz sand
3	Coating system	e.g. CONIFLOOR IES SR

CRACK BANDAGES AND SEAL



- 1 Pressure-less crack reinforcement
- 2 Primer
- 3 Waterproof membrane
- 4 Broadcast and wear layer
- 5 Top coat



- 1 Primer
- 2 First layer seal
- 3 Nonwoven
- 4 Second layer seal

STRUCTURE CRACK BANDAGE PRODUCT NAME

1	Pressure-less crack reinforcement	e.g. CONIPROOF 190/1
2	Primer in the coating system	e.g. CONIPROOF 190/1
3	Waterproof membrane layer	e.g. CONIPROOF 490/1 or CONIPROOF 413
4	Broadcast and wear layer	e.g. CONIPROOF 491/1 or CONIPROOF 492
5	Top coat	e.g. CONIPROOF 590/1

STRUCTURE SEALING PRODUCT NAME

1	Primer in the coating system	e.g. CONIFLOOR 110
2	First layer seal	CONIPROOF 413 oder CONIPROOF 414
3	Nonwoven	CONIPROOF FLEECE
4	Second layer seal	CONIPROOF 413 oder CONIPROOF 414



CONICA AG, Schaffhausen, Switzerland

SWISS QUALITY – FOR FOUR DECADES

CONICA has over 40 years of extensive expertise and experience in the development, manufacture and installation of flooring systems. We offer system solutions for a wide variety of applications:

- Sports Flooring*
- Playground*
- Functional Flooring*
- Industrial Applications*

The demands on functionality, resistance, resilience and aesthetics vary considerably depending on the area of application. Correspondingly, the products are designed according to the latest findings in the development department and then intensively tested in practice. The aim is to offer our customers product and system solutions that meet their requirements 100%.

CONTACT

CONICA AG
Industriestrasse 26
8207 Schaffhausen
Switzerland
Phone +41 (0)52 644 36 00
Fax +41 (0)52 644 36 99
info@conica.com

www.conica.com